

The SAWStudio Midi WorkShop Latest Release Info

Thank you for purchasing the SAWStudio Midi WorkShop Add-In. This file contains the latest enhancements and bug fixes.

The Midi WorkShop is automatically detected by SAWStudio and does not require you to patch it in as a processing plugin. You can access its main window from the SAWStudio *Views* menu, or from the popup *Track List* by Left-Clicking the up/dn arrow zone in the top left corner of the SAWStudio MultiTrack. I highly recommend setting the SAWStudio Timeline to Tempo mode while using the Midi WorkShop program. The main position readout remains in the SAWStudio MultiTrack and should always be left at the top of the screen for reference.

To effectively use the interface, I recommend a minimum screen resolution of 1280 x 1024 and setting up your F-Key Workspace Views so no overlapping windows exist.

Please read the helpfile for setup and operation details.

Have Fun.

>---<

Version 1.7 Enhancements And Bug Fixes

Enhancements

- * Patch Changes in the Library View are now allowed during *Rec/Rdy* Mode, to facilitate the live monitoring enhancements in the newer SAWStudio versions.
- * Step Draw can now be toggled on and off by pressing the D-Key.
- * Step Draw mode now creates undo files for each note added.
- * Step Draw mode now allows you to delete a note by Right-Clicking on the note, without the need to exit Step Draw mode.
- * When adjusting the speed of the auto step advance in Step Rec mode, pressing Ctrl and clicking the minus zone of the Step Rec switch sets the speed back to zero for single note auto advance operation.
- * Importing and Blending Midi Files now auto scale and center the midi data on each track so all midi notes are visible.
- * Blending Midi Files now responds to the starting cursor position and offsets data from there. If the starting cursor position is past the end of the current data, then new tempo data is included in the blend, otherwise tempo data is ignored.

- * Enhanced cursor lock and positioning between SAWStudio and MWS during Live Mode. Requires SAWStudio 4.7 or higher or SAWStudioBasic 2.1 or higher.
- * Enhanced the Controller Display chase to operate in Live Mode.
- * A new option has been added to the popup Time Signature menu called *Set New Time Signature Entry Within Range*. This option allows you to mark a range of measures (do so with the grid ON) and change the time signature for that range without disturbing the rest of the composition outside the range. All measure numbers and tempo and time signature changes will remain the same for following existing data. Midi data will be pushed or pulled into proper alignment. If the change adds beats to the existing range area, the beats will be added at the end of the range leaving original data intact. If the change deletes beats from the existing range area, the data will be deleted from the end of the range. Most likely data transitions at the end of the range will have to be re-composed, but all existing data outside the range will remain intact.
- * A new enhancement has been added that will automatically fix stuck notes that are missing Note-Off data. If you see a note stretching across a track with no off position, you can click on it, as if to select it as the active note and it will sense and correct the missing Note-Off data by cutting the note duration to the current Grid Note value.
- * A new option has been added to the Options Menu called *Global Midi-In Chan Filter*. This option allows you to filter all incoming midi data down to a specific midi chan if desired. If set to a single chan, all incoming data not on that chan will be discarded. This can be helpful with certain midi keyboard controllers that send multi-chan midi data at the same time causing possible stuck notes and missing Note-Off data. This setting can be saved in the preferences.

Bug Fixes

- * Fixed the Major / Minor Scale color display option.
- * Fixed code that could damage time signature changes in measures that already contained tempo changes.
- * Fixed code to trap mouse-click control adjustments from crashing looped playback under certain conditions.
- * Fixed code to trap for crashes caused by dragging the mouse with the left button down into the top client area of the MT while in Step Rec mode.
- * Fixed code to properly set note length when holding a note during the Auto Step Rec Advance mode, when the advance speed is set to single note

advance.

- * Fixed code to correct for different tick resolutions when blending midi files.
- * Fixed code to trap and correct for illegal tick resolutions when importing midi files.
- * Fixed code for more accurate midi file export and import of tempos.
- * Fixed code to trap and correct for illegal tempo and time signature entries when importing midi files.

>---<

Version 1.6f Enhancements And Bug Fixes

Enhancements

- * A new feature has been added to read an F-Key file from the command Line when the program first starts. This requires SAWStudio or SAWStudioLite 4.0 or SAWStudioBasic 1.5 or higher. See the SAWStudio helpfile for details.
- * Added the creation of a record Undo File when the engine is stopped if recorded data has been added to the MultiTrack. If you never actually engage record or play no data once engaged, no undo file will be created.

Bug Fixes

- * Fixed code to stop unexpected erasure of midi data before the punch-in position when using the Enter key to do the punch.

>---<

Version 1.6e Enhancements And Bug Fixes

Enhancements

- * Four new options have been added to the *Modify Note Velocity* menu called *Note-On Velocity - Randomize*, *Note-Off Velocity - Randomize*, *Note Velocity - Randomize Min Deviation*, *Note Velocity - Randomize Max Deviation*. These options allow you to randomize note velocities. They work on data within a marked range on the current track or selected tracks. The min and max deviation values set the limits on the randomize algorithm, and relate to the minimum and maximum adjustment values that can be applied to randomize the velocity values.
- * Four new options have been added to the *Modify Note Quantize* menu called *Humanize [Entire Note]*, *Humanize [Start Time Only]*, *Humanize Min Deviation*, *Humanize Max Deviation*. These options allow you to randomize

note start tick positions. They work on data within a marked range on the current track or selected tracks. The min and max deviation values set the limits on the randomize algorithm, and relate to the minimum and maximum adjustment values that can be applied to randomize the start tick position values.

Bug Fixes

- * Code modifications done to enhance stability and eliminate corruption of screen displays with multi-processors, multi-core processors and hyperthreading processors.

>---<

Version 1.6d Enhancements And Bug Fixes

Enhancements

- * A new enhancement has been added to the Measure Map feature. You may now use the *Down-Arrow-Key* in Measure Map mode during live playback to actually tap time on the measure downbeats and the Measure Map functions will automatically be written in. To do so, I recommend using a zoom ratio on the MT that displays each measure boundary line incrementally. Just start playback and tap the *Down-Arrow Key* at the measure downbeats. You may then go back and manually adjust them to be accurate on the waveform transients that you are syncing up to in the SAWStudio MT.
- * Starting playback when Live Mode is active will now auto toggle back into Live Mode when playback is stopped. This feature requires SAWStudio version 4.0 or higher, or SAWStudioBasic version 1.5 or higher.
- * Meter Displays are now bypassed for muted tracks.
- * In Select Mode, the Ctrl-A *Select-All* function now sets the first note as the Key Entry.
- * Three new Quantize options have been added to the *Modify – Quantize Note* menu which only affect the Note Start Time and leave the Note End Time alone, shrinking or stretching the duration as they quantize.
- * Clearing Tempo Entries is now sensitive to existing Time Signature changes at the same position and will not disturb these entries.
- * Setting and clearing Time Signature Entry operations are now sensitive to existing Tempo changes at the same position and will not disturb these entries. In addition, orphan and incomplete measures created by the changes are automatically corrected by changing the orphan beats before another existing Time Signature entry into single beat measures to keep measures intact and properly bounded. This makes it easy to add or delete these extra

measure/beats.

- * A new Tempo Entry option has been added to both the Tempo and Time Signature menus called *Remove Tempo / Time Signature Entries Within Range*. This option deletes both Tempo and Time Signature entries within the marked range and also corrects for orphan measures created by the change.
- * The Insert and Delete Measures functions now pay attention to the current measure Time Signature and also maintain measure boundary tempo and signature entries that are part of the manipulated measures.
- * The controller display will now chase from cursor movements in the SAWStudio Multitrack as well as from the MWS MultiTrack. This allows Auto-Rewind positioning after playback to update controller display info as well.

Bug Fixes

- * Fixed accuracy of Active Note Duration display.
- * Fixed code to properly re-adjust all midi note positions and durations after a Tick Resolution change.
- * Adjusted the Note StartTime and Note Duration display format to allow display of tick resolution numbers up to 4 digits. The Measure display was reduced from 5 to 4 digits to compensate. When measure counts beyond 4 digits are needed, the measure and beat separator is reversed and the measure count wraps around at each 10,000 value. For example, tempo display at position 9999>01>0000 will display as shown and when it wraps around past measure 10,000 to 10,002 for example, the display will be shown as 0002<01>0000. This compromise was done to salvage all existing SawStudio shades and the current pixel layout of the MultiTrack Top Client area, as well as remain consistent with the SawStudio display format.
- * Fixed Step Record mode from advancing twice the grid note size when used without Live Mode active.
- * Fixed disappearing Time Signature display entries at different zoom levels.

>----<

Version 1.6c Enhancements And Bug Fixes

Enhancements

Bug Fixes

- * Fixed Measure Mapping from jumping back to beat 4 under certain adjustment conditions.

- * Adjusted code for the MT view to properly re-display memory image when resizing with the Windows “Show Window Contents While Dragging” option ON.

>----<

Version 1.6b Enhancements And Bug Fixes

Enhancements

- * Step Record Mode has been enhanced. Right-clicking to activate Auto Step mode now turns the Step Record Lite yellow. If you click the minus zone to slow the auto advance down to a stop, the cursor now advances automatically to the next grid position after every note is stepped in, as long as the grid mode is active. If you play a chord, the advance will occur when the last note of the chord group is released.
- * Track Labeling has been enhanced to function during playback and Live Mode.

Bug Fixes

- * Fixed MT redraw problem when clicking on MT edge and then not resizing.
- * Fixed Step Entry and Step Draw modes to correctly enter notes after the end of pre-existing track data. This could fail under certain conditions in 1.6a.

>----<

Version 1.6a Enhancements And Bug Fixes

Enhancements

Bug Fixes

- * Fixed BuildMix operations to properly initialize the midi data.

>----<

Version 1.6 Enhancements And Bug Fixes

Enhancements

- * MWS now passes back Virtual Midi Port names to display in the host VST Midi Port assignment menu with SAWStudio Lite and Full version 3.9h and higher and SAWStudioBasic version 1.4h and higher.
- * The Delete key is now active in Live Mode.
- * Adjusting note boundaries with the mouse is now active in Live Mode.

- * A new option has been added called *Step Record Mode*. There is a new switch on the MWS MultiTrack next to the Grid switch. Left-Clicking on this switch turns it red and activates *Step Record Mode* for the current HotTrack. The track must have a port and midi channel assignment or this mode will not enter data. The cursor shape changes to denote that the mode is active. If using VST synth modules, make sure to activate Live Mode so you can hear the audio output as you move down the timeline. (You can Right-Click on the Play button). When *Step Record Mode* is active, you can move the cursor freely with the mouse along the timeline, or use the Left and Right Arrow keys. Turning Grid mode ON is a nice way to step precisely down the timeline according to the Grid Note duration using the Arrow keys. You may now use the virtual Midi Keyboard display to enter notes with the mouse, while you use the Arrow keys to step forward. If you hold the note on and move the cursor, the note duration will be determined by where the cursor is when you release the note. If you press and release a note without stepping the cursor, the note duration will default to the Grid Note length, regardless of whether the Grid Mode is active or not. You can enter chords, one note at a time without moving the cursor... then step forward. You may also play notes on your midi keyboard controller and they will record. Another exciting enhancement to this Step Mode is activated by Right-Clicking on the Step Record button, once it is already activated. This starts an auto step feature which will slowly advance down the timeline smoothly if the Grid Mode is Off or according to the Grid setting if On. You can Left-Click in the Minus or Plus zones beside the switch to decrease or increase the auto step speed, allowing you to playback the sequence at a crawling pace or at a speed near realtime. The existing track data will be played across all tracks, except the current HotTrack that is recording the data. You can also use the Select Track options to play only selected tracks, or select only the HotTrack to mute the sound completely. The auto step allows you to step complex music passages in at a very slow speed. If the Grid is On, the notes will auto-quantize as they are stepped in. Right-Click the switch again, to toggle Off the auto step mode, or Left-Click the switch to exit *Step Record Mode* while leaving the auto settings active for next time. While *Step Record Mode* is active, you can still mark and delete entire sections, or select single notes and delete them with the delete key. You can jump the cursor forward and backward by Left-Clicking in the HotTrack. You must exit *Step Record Mode* to regain control of the rest of the MWS features and normal playback operation.

- * A new option has been added called *Step Draw Mode*. There is a new switch on the MWS MultiTrack next to the Step Record Mode switch. Left-Clicking on this switch turns it red and activates *Step Draw Mode* for the current HotTrack. The cursor shape changes to denote that the mode is active. If using VST synth modules, make sure to activate Live Mode so you can hear the audio output as you move the mouse up and down in the HotTrack. (You can Right-Click on the Play button). When *Step Draw Mode* is active, you can move the cursor freely with the mouse along the timeline and up and down within the HotTrack. Turning Grid mode ON is a nice way to step precisely

down the timeline according to the Grid Note duration. The up and down movement of the mouse will select the note, and display the note value in the Note Zone Readout display and on the virtual Midi Keyboard display. The sideways movement of the mouse will set the note start position and display its value in the Note Start Position Zone Readout display. *Left-Clicking* will create a new note at the current position with a duration of the current Grid Note length. If you hold the left mouse button down when you create the note, the cursor will automatically change to the Extend Cursor shape and jump to the end of the note, allowing you to drag the end position longer or shorter, thereby changing the duration. The duration value will be displayed in the Note Duration Zone Readout as you drag. Releasing the mouse button will redraw the note at the new duration. You must exit *Step Draw Mode* to regain control of the rest of the MWS features and normal playback operation.

- * A new option has been added to the Options Menu called *Midi Record Latency Adjust*. This option can be used to adjust plus or minus samples for midi keyboard latency. In some cases, usb keyboards may actually cause recording positions to be early by x number of samples. Run some tests by recording against a click track and then noting if the recording is averaging early or late (obviously your timing ability comes into play here also). Use this option to force the recorded data to be adjusted forward or backward when it is dropped to the MT.
- * A new option has been added to the Tempo Menu called *Sweep To New Tempo Within Range*. This option allows you to mark a range and enter a new destination tempo and the tempo will be smoothly swept from the current tempo to the new destination tempo across the marked range, changing at every beat boundary.

Bug Fixes

- * Fixed the Click Conductor code to restore the saved Midi Channel when there is no assigned Instrument Device for the saved Port and Channel.
- * Fixed main MWS starting workspace from coming up as a black screen when saving F-Key defaults from SAWStudio while the MWS is linked to SAWStudio F-Keys or Alt-F-Keys and not visible as the default.
- * Fixed code to stop MWS from playing back data when the SAWStudio RecRdy and Record modes are activated with live inputs and no SRP playback engaged.
- * Note Scrub mode now properly detects track mutes.
- * Note durations now properly display notes that cross beat boundaries in non-quarter note time signatures.

- * The Insert Measures function no longer extends notes that overhang into the insert measure area. The overhang remains the same into the new blank measures that are inserted.

>---<

Version 1.5c Enhancements And Bug Fixes ***Enhancements***

Bug Fixes

- * Modified the Virtual Buffer data stream for VST synth plugins to fix compatibility issues with the Native Instruments Kontakt product line. This fix should eliminate skipped and stuck note problems when using multiple midi channels on Kontakt, Kompakt or other sampler plugins based on the same or similar engine design.
- * Doubled the Midi-In buffer size to attempt to help with buffer overruns during recording that may be the cause of stuck notes.

>---<

Version 1.5b Enhancements And Bug Fixes ***Enhancements***

Bug Fixes

- * Fixed Tempo increments and decrements to maintain proper accuracy across all values. This keeps grid snaps accurate down the timeline.
- * More work done on all floating point to integer conversion sections of the code for maintaining precision throughout.
- * Fixed the *Open Connected VST Synth* option on the Track Properties menu to properly gray and reflect a hardware or not assigned port.

>---<

Version 1.5a Enhancements And Bug Fixes ***Enhancements***

- * Removed tick numbers from timeline ruler display to keep the display cleaner with varying tempos visible at the same time.
- * Enhanced Click/Conductor Track to save settings for virtual ports that have

no attached midi devices.

Bug Fixes

- * Fixed the Backspace individual note and selected notes snap-to-cursor function.

>----<

Version 1.5 Enhancements And Bug Fixes

Enhancements

- * The original Select Mode Alt-Left-Click selection to position feature has been modified to be Alt-Shift-Left-Click so there is no conflict with the new Alt-Left-Drag note start and duration adjustments for all selected notes introduced in Version 1.4.
- * The Ctrl-C copy command has been enhanced to hold its marker data until another move or copy command has been activated.
- * The Paste function has been enhanced to allow overwriting of underlying data. The normal default operation merges new data from drags or Ctrl-C copies. Pressing the Alt-Key at the time of the paste operation will clear underlying data at the destination before pasting the new data. When using a mouse drag and move or copy command, start the drag operation first with the Shift or Ctrl keys and then press the Alt-Key as you drop the data in its new location.
- * A new option has been added to the Record options menu (Right-Click any track Rec button), called *Midi Multi*. This option will assign the current track and the next 15 tracks in record mode and accept a multi-channel midi signal from one device port, and split the 16 midi channels to the separate 16 record tracks. This can be useful when dumping from some hardware midi sequencers in one pass, splitting the separate midi channel information into up to 16 separate tracks for further editing in the MWS.
- * The Marked Area will now chase the HotTrack as it does in SAWStudio. The current operation will focus on the data in the marked area on the current HotTrack, unless an All Tracks or a Selected Tracks operation is activated. Special code for the use of the BackSpace key still allows you to mark data on one track and change tracks for a destination snapped move or copy operation, even though the marked area of the source has chased to the new destination track before pressing the key and activating the command.
- * The Patch Library Bin data is now saved and restored with the Session EDL's. If the EDL stored Bin data was empty, then the current Bin data will not be disturbed, otherwise, the current Bin data will be replaced by the data

stored in the EDL Bin. Realize that the data stored is index information relative to the current Patch Library. If the Patch Library is changed, some or all of this stored data may no longer be valid.

- * A new option has been added to the Bin popup menu called *Lock Bin*. When this option is active, the current Bin data will not be disturbed when opening a new EDL, even if the EDL has its own stored Bin data.
- * The Data Knob has been enhanced to automatically update the current controller data entry once the knob is moved. If a marked area of controller entries exists, the entire marked area is updated.
- * The Pencil Draw mode has been enhanced with two new menu options called *Pencil Drawing Mode – Note ON Velocity* and *Pencil Drawing Mode – Note OFF Velocity*. These modes allow a fast and simple way to adjust note velocities in a graphic manner.

Bug Fixes

- * Stopped Note-Off data from being sent on muted tracks to allow proper solo operation in multitimbral mode with certain VST sampler plugIns that trigger special effects with note-off data.
- * Trapped *Left-Click* during scrub operation.
- * Fixed tempomap problem that could show up as a few samples difference on note start times that would leave grid referenced copy and paste operations missing the first note.
- * The *Alt-Shift* and *Alt-Ctrl Home* and *End Key* Select Mode selection combos now work correctly.
- * Pasting marked ranges now correctly maintains track offset under all conditions, even with re-ordered tracks.
- * Trapped a possible crash that could occur when opening F-Key files that were created at a higher screen resolution than the current resolution.
- * Adjusted code to fix the Windows ClipCursor function from failing on certain systems under certain conditions.

>---<

Version 1.4a Enhancements And Bug Fixes

Enhancements

- * Moved cursor, piano display and meter display to a separate thread to keep them from being interrupted when accessing popup menus and commands during playback.

Bug Fixes

- * Trapped main menus from activating during playback.

>---<

Version 1.4 Enhancements And Bug Fixes

Enhancements

- * Pre-Release status has been removed. This version becomes the MWS official release version.
- * A new feature has been added for marking ranges. Pressing the *Alt-End-Key* in normal mode marks an entire track no matter where the current cursor position is.
- * Range marking options are now active in *Live Input Mode* to facilitate VST Synth track editing.
- * The import Midi File function now also reads most Type 0 midi files. Different midi chan data will be spread across the first 16 tracks in the MultiTrack, effectively separating out the midi chan data into individual tracks. The tracks will be named with General Midi Prg names if prg data is found for that particular midi chan and no name data was found.
- * A new option has been added to the File menu called *Blend Midi File*. This option allows you to blend another Midi File into the current session. The current *Hot Track* acts as the starting track for the new file. The tracks then increment down the MultiTrack. The tracks will follow in the virtual MultiTrack track order as they are currently laid out. If any track has existing midi data, the next empty track will be used. Tempo and Time Signature data will be ignored for the blended files and they will be conformed to the current session tempomap.
- * Click/Conductor tracks now automatically use the auto scaling routines to focus and center click data on the track.
- * Recording tracks now automatically use the auto scaling routines to focus and center newly recorded data on the track.
- * Updating the patch database from ini files has been enhanced to flag missing ini files in a warning message and cancel the update.

- * A new option has been added to the MWS File Menu called *Open Midi WorkShop Session File*. This option allows you to access an .edl_mws file directly and open it into the current SAWStudio session, thereby swapping existing midi data information or adding midi data information from another session.
- * A new option has been added to the *Track Properties* popup menu called *Disable Track*. When this option is active, the track display is X'd out and the midi notes are dimmed, and no midi data is output at all from this track during playback. This differs from a muted track which still outputs controller and midi note off data in case the track is unmuted during play. The disable track option cannot be toggled while playback is active, so it does not have to chase controller data.
- * Select Mode has been enhanced to allow all selected note boundaries to be altered with the Alt-Left-Mouse adjust feature. When either boundary of the Key-Entry is grabbed and adjusted, the same boundary of all selected notes will be offset by the same amount. Any note that is adjusted to a duration smaller than 1 tick will be set to a 1 tick duration.
- * The *Pitch* option has been activated on the *Modify* menu. There are three new active choices. *Transpose Up 1 Octave*, *Transpose Dn 1 Octave*, and *Transpose [Menu]*. All options operate on a selected range and will respond to multiple selected tracks.
- * The *Note* zone has been activated for changing the pitch of the current active note or all selected notes in *Select Mode*. Left-Clicking in the *Note* zone (when there is a currently active note displayed), changes the mouse cursor to a hand shape and snaps the mouse to the virtual keyboard on the active note. While keeping the mouse button pressed, you are free to slide up and down the keyboard to select a transposed note value. The notes will sound on the track's corresponding midi device. When the mouse is released, all selected notes will be transposed to the new relative values and the mouse will return to the *Note* zone.
- * A new *Minus/Plus* zone has been added under the *Note* zone which allows simple mouse clicks to decrement and increment the *Note* pitch value. The new note will sound on the track's corresponding midi device until you release the mouse button.
- * A new *Minus/Plus* zone has been added under the *Note-On-Velocity* zone which allows simple mouse clicks to decrement and increment the *Note-On-Velocity*.
- * A new *Minus/Plus* zone has been added under the *Note-Off-Velocity* zone which allows simple mouse clicks to decrement and increment the *Note-Off-Velocity*.

- * A new *Minus/Plus* zone has been added under the *Note-Start-Time* zone which allows simple mouse clicks to decrement and increment the *Note-Start-Time*.
- * A new *Minus/Plus* zone has been added under the *Note-Duration* zone which allows simple mouse clicks to decrement and increment the *Note-Duration*.
- * A new *Minus/Plus* zone has been added under the *Ctrlr-Value* zone which allows simple mouse clicks to decrement and increment the *Ctrlr-Value*.
- * New *Increment/Decrement* zones have been added to the left side of each fader which allow simple mouse clicks to increment and decrement the fader values.
- * Offset and Percentage menus have been modified for consistency throughout the interface.
- * Offset and Percentage Knob adjustments, using the *Shift-Key* and *Ctrl-Key* have been modified for consistency throughout the interface.
- * A new feature has been added to *Controller Display Mode*. Pressing *Ctrl-Tab* will now jump you forward to the next controller entry. Pressing *Ctrl-Shift-Tab* will jump you backward to the previous controller entry.
- * Added MT mouse controlled vertical scrolling. Holding the Left-Mouse-Button down while pushing against the bottom or top of the MT will scroll the MT vertically. This can be done during playback also. This allows move/copy operations to tracks not visible on the MT at the start of the move/copy procedure.
- * A new enhancement has been added for selecting tracks. You can now select **All** tracks by *Ctrl-Alt-Left-Clicking* on any track number. This will inverse all track number displays for use with global editing operations.
- * Two new options have been added to the *Modify* menu called *Insert Measures* and *Delete Measures*. These options will prompt for a measure count value to add or delete. The measure under the MultiTrack current cursor position is used as the reference point for the operation. This option works as a global operation across all tracks if no tracks are selected. In this case, tempo and time signature entries are adjusted accordingly. If there are any selected tracks, only those tracks will be affected and tempo and time signatures will not be altered.
- * The undo function has been enhanced to now take advantage of the new parse for File, Fx, Video and Midi changes in the SAWStudio version 3.7 and skip these sections if possible. SAWStudioBasic version 1.2 also supports

these features. This enhances the recall undo performance considerably when VST synths and many video file filter graphs are part of the session.

- * Enhanced the F-Key restore routines to bypass certain Windows functions that were blocking some of my High Level threads. This results in drastically better performance with less interference at very low latency settings.

Bug Fixes

- * Slight adjustment to the auto scaling code to better fit wide note ranges within a track display.
- * Trapped timeline clicking during playback to stop vertical scrolling the MultiTrack.
- * Fixed PgUp max track sizing function to eliminate crash.
- * Adjustments made to help eliminate cursor drawing problems on certain systems under certain conditions.
- * The virtual piano display now correctly turns all piano note displays off when the left mouse button is released in Live Input Mode.
- * The *Enter-Key* will no longer stop playback when used to punch-in a record operation after playback has been started.
- * Fixed a problem with the delete range function that could leave an endless stuck note when a single note spans longer than the marked range.

>----<

Version 1.3 Enhancements And Bug Fixes

Enhancements

- * More API Hook enhancements to the SAWStudio Host.
- * A new option has been added to the *Options* menu called *Midi Short Msg Compatibility Mode*. This option displays a popup menu of all active midi ports. Selecting a port toggles the Short Msg Compatibility Mode on/off for that port. When the mode is active, the port will display a checkmark. These settings save with the preferences. This mode is needed for certain midi drivers that will not accept Midi Long messages for basic midi commands. The Midi Workshop uses Midi Long messages for all of its midi communications by default for improved performance and timing accuracy. Using the Midi Short Msg Mode increases the CPU load, as each midi

command much be processed separately through the Windows mechanism. Certain virtual port drivers like Giga Studio may require this mode to be active in order to respond at all to the Midi WorkShop. The internal MS Wave Synthesizer may also require this mode for program changes and other control information to be processed correctly. Use this mode on a port ONLY if the port is not responding correctly with this mode OFF.

- * A new option has been added to the MT Track Properties menu called *Open Connected VST Synth Module*. This option is active when a VST Synth is connected on this track to a MWS Virtual Port. By selecting this option, the program opens the correct VST Synth module window directly, without having to go to SAWStudio's patch windows.
- * A new enhancement to start/stop *Live Input Mode*. Right-Clicking on the the *Play* button will now start *Live Input Mode* if the engine is currently stopped, or stop the engine if it is currently in *Live Input Mode*.
- * The virtual piano keyboard is now active during record. The keyboard records to the current hottrack if the hottrack record is engaged.
- * Added a special routine to clear virtual midi port data just before the playback engine stops, to help stuck note problems with VST synths.
- * *Select Mode* toggling is now active in *Live Mode* to facilitate editing on VST synth tracks.
- * Piano Keyboard display note chasing is now active in Live Mode.
- * A new option has been added to the *Options Menu* called *Auto Solo/Audio Mute*. When this option is active, engaging any solo mode in the Midi WorkShop will automatically activate the *Mute Audio* mode to force all SAWStudio audio tracks mute, so only the midi data is heard. The *Mute Audio* button may be disengaged to hear the audio tracks along with the soloed midi tracks at any time.

Bug Fixes

- * Fixed selected track playback with VST synths. Now all selected tracks, even when re-ordered, assigned to VST synths will play correctly.
- * Fixed marked range copies and moves for re-ordered selected tracks.
- * Fixed external keyboard midi thru code to allow changing hottracks when Live Input mode is active for auditioning different patches on different tracks.
- * Fixed screen redraw problems for note and range drags during Live Input Mode.

>----<

Version 1.2 Enhancements And Bug Fixes

Enhancements

Bug Fixes

- * Fixed a problem that was blocking program change commands from being sent to hardware ports and virtual ports during Live Input Mode and playback mode when the track contained no midi data.
- * Fixed Patch Library double-click patch change to VST Synths.
- * *Mute Midi Mode* no longer lights up all mute lights when view is closed and re-opened.
- * Mute settings are now correctly saved and restored even if the session is saved and opened with the *Mute Midi Mode* active.

>----<

Version 1.1 Enhancements And Bug Fixes

Enhancements

- * Two new options have been added to the *Rec Port* popup menu opened by Right-Clicking on a Rec button. The Midi Thru option may be toggled to pass Midi Thru data for this record port and the Midi Merge option may be toggled to merge the new recording with already existing track data. These options will not be active until a port is selected. The Merge option remains active for this port and follows it to whatever track is set to record from this same port. The menu stays active after toggling either of these options, displaying the current status change. Click anywhere outside the menu to close it when finished.
- * *Live Input Mode* may now be activated directly from the MWS MultiTrack window by pressing the L-Key. The cursor will change shape giving visual feedback when *Live Input Mode* is active. VST Synths may now be scrubbed while *Live Input Mode* is active. Right-Clicking or pressing the L-Key or SpaceBar or *Stop* button will exit *Live Input Mode*. Editing features and certain positioning features will be disabled in *Live Input Mode*.
- * Right-Clicking the *Controller Display* button will popup a new menu of options for drawing controller data. *Pencil Drawing Mode* is a special mode allowing you to drag the mouse and draw new controller entries. The cursor will change shape, displaying a crosshair and pencil icon. Left-Dragging the

mouse to the right will begin adding controller entries. The data value of the entries depends on the relative vertical mouse position within the track height. Holding the Shift-Key will force the value to a center default, useful for centering pans or setting pitch bends to their off condition. The data value is constantly displayed in the *Controller Value* readout zone. You may drag back to the left over newly created entries without releasing the mouse button and they will be erased, allowing you to then redo your drawing curve. When the *Left Mouse* button is released, the newly drawn entries will be added to the database, clearing and overwriting similar controller entries within the drag range. You may exit *Pencil Drawing Mode* by pressing the Escape-Key or by toggling *Controller Display Mode Off*, or by Right-Clicking the Display options button and clicking the currently active *Pencil Drawing Mode* again.

Pencil Drawing Density: This option displays the current drawing density value and allows you to change it. The drawing density is a tick value that becomes the minimum separation between new controller entries as you slide the mouse in *Pencil Drawing Mode*.

Pencil Drawing Mode - Current Controller Type: This option activates *Pencil Drawing Mode* using the currently displayed controller type. Certain types are not available for pencil drawing and this option will be grayed and disabled for those types.

Pencil Drawing Mode - Volume: This option activates *Pencil Drawing Mode* and automatically forces the Controller Filter to Volume if needed.

Pencil Drawing Mode - Pan: This option activates *Pencil Drawing Mode* and automatically forces the Controller Filter to Pan if needed.

Pencil Drawing Mode - Pitch Bend: This option activates *Pencil Drawing Mode* and automatically forces the Controller Filter to Pitch Bend if needed.

Pencil Drawing Mode - Prg Change: This option activates *Pencil Drawing Mode* and automatically forces the Controller Filter to Prg Change if needed.

Bug Fixes

- * Fixed a VST Synth looping problem that could occur when there was no active Midi data on a VST Synth Track and a Midi graphic keyboard or controller thru event was triggered.
- * The session active flag is now set correctly whenever a port or chan is set so that edl session saves will include the Midi WorkShop as active.
- * The Update Patch .ini routine has been fixed to open very large patch .ini file sizes.

- * The EDL session dirty flag is now set correctly after a record operation.
- * Stopped certain editing menus that should be disabled during playback from activating.

>---<

Version 1.0 Enhancements And Bug Fixes

Enhancements

- * This is the first release of the Add-on.

Bug Fixes

>---<